

## **AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

### **LISTING OF CLAIMS:**

1. (currently amended): Method for producing a patterned linoleum sheeting, comprising the steps:
  - (a) Applying a flat layer of a non-linoleum material which is different from the raw materials used for the production of a linoleum mixture to at least portion of the surface of a green linoleum and/or introducing a non-linoleum material which is different from the raw materials used for the production of a linoleum mixture into predetermined recesses in the green linoleum,
  - (b) Cutting the resulting green linoleum into pieces of a predetermined length,
  - (c) Layering the cut green linoleum pieces to form a tiled stack of sheets and
  - (d) Calendering the tiled stack of sheets to form patterned linoleum sheeting, wherein the non-linoleum material is a metallic material and/or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.
2. (currently amended): Method for producing a patterned linoleum sheeting, comprising the steps:
  - (a') Applying a non-linoleum material which is different from the raw materials used for the production of a linoleum mixture in the form of a solution, paste, suspension or dispersion to ~~the~~ a scraped linoleum mixture and calendering the scraped linoleum

mixture furnished with the non-linoleum material to form a green linoleum or a finished linoleum sheeting,

wherein the non-linoleum material is a metallic material and/or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.

3. (currently amended): The method ~~Method~~ as claimed in Claim 2, wherein the green linoleum obtained in step (a') is processed further by:

- (b) Cutting the resulting green linoleum into pieces of a predetermined length,
- (c) Layering the cut green linoleum pieces to form a tiled stack of sheets and
- (d) Calendering the tiled stack of sheets to form a patterned linoleum sheeting.

4. (currently amended): The method ~~Method~~ as claimed in Claim 2, wherein after step (a'), a flat layer of a non-linoleum material is applied to at least part of the surface of this green linoleum and/or a non-linoleum material is introduced into predetermined recesses in this green linoleum.

5. (canceled).

6. (previously presented): The method as claimed in Claim 1, wherein the non-linoleum material is a metal powder, a metal paste, an effect pigment, a luster pigment or a pearlescent effect pigment.

7. (previously presented): The method as claimed in Claim 1, wherein the non-linoleum material is an aluminum powder, an aluminum paste or an effect pigment based on mica or mica minerals or a polyester-mica.

8. (previously presented): The method as claimed in Claim 1, wherein the non-linoleum material is applied as a flat layer to the entire width or only a portion of the green linoleum and/or is introduced into predetermined groove-like recesses which are present over the entire width or only a portion of the width of the green linoleum.

9. (previously presented): The method as claimed in Claim 1, wherein the flat layer is applied to the green linoleum in a thickness of 5  $\mu\text{m}$  to 1000  $\mu\text{m}$ .

10. (previously presented): The method as claimed in Claim 1, wherein the recesses in the green linoleum have a depth in the range of 5% to 60%, based on the thickness of the green linoleum.

11. (currently amended): Method for producing a patterned linoleum sheeting, comprising the steps:

- Producing a single-color or multicolor green linoleum from a linoleum mixture,
- Coating the single-color or multicolor green linoleum with a non-linoleum material which is different from the raw materials used for the production of a linoleum mixture over at least a portion of its surface,

– Processing the coated green linoleum to form granules or chips either immediately or after being cut into preferably approximately equally large halves in the calendering direction with the resulting sections then being layered one above the other or folding the green linoleum once or several times,

– Producing a linoleum sheet from the resulting granular particles or chips by calendering same and optionally

– Further processing the resulting linoleum sheet in the usual way to form a final linoleum sheeting,

wherein the non-linoleum material is a metallic material and/or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.

12. (currently amended): The method ~~Method~~ as claimed in Claim 11, wherein the non-linoleum material is a metallic material or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.

13. (previously presented): The method as claimed in Claim 11, wherein the non-linoleum material is a metal powder, a metal paste, an effect pigment, a luster pigment or a pearlescent effect pigment.

14. (previously presented): The method as claimed in Claim 11, wherein the non-linoleum material is an aluminum powder, an aluminum paste, an effect pigment based on mica or mica materials or a polyester-mica.

15. (withdrawn): Patterned linoleum sheeting obtainable by a method as claimed in Claim 1.

16. (withdrawn): Use of a patterned linoleum sheeting as claimed in Claim 15 as a floor covering, as tiles, a wall covering or decorative covering.

17. (previously presented): The method as claimed in Claim 2, wherein the non-linoleum material is a metallic material and/or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.

18. (previously presented): The method as claimed in Claim 4, wherein the non-linoleum material is a metallic material and/or a pigment that differs from the pigment(s) optionally used for coloring the linoleum mixture.

19. (previously presented): The method as claimed in Claim 2, wherein the non-linoleum material is a metal powder, a metal paste, an effect pigment, a luster pigment or a pearlescent effect pigment.

20. (previously presented): The method as claimed in Claim 4, wherein the non-linoleum material is a metal powder, a metal paste, an effect pigment, a luster pigment or a pearlescent effect pigment.

21. (previously presented): The method as claimed in Claim 2, wherein the non-linoleum material is an aluminum powder, an aluminum paste or an effect pigment based on mica or mica minerals or a polyester-mica.

22. (previously presented): The method as claimed in Claim 4, wherein the non-linoleum material is an aluminum powder, an aluminum paste or an effect pigment based on mica or mica minerals or a polyester-mica.

23. (previously presented): The method as claimed in Claim 2, wherein the non-linoleum material is applied as a flat layer to the entire width or only a portion of the green linoleum and/or is introduced into predetermined groove-like recesses which are present over the entire width or only a portion of the width of the green linoleum.

24. (previously presented): The method as claimed in Claim 4, wherein the non-linoleum material is applied as a flat layer to the entire width or only a portion of the green linoleum and/or is introduced into predetermined groove-like recesses which are present over the entire width or only a portion of the width of the green linoleum.

25. (canceled).

26. (previously presented): The method as claimed in Claim 4, wherein the flat layer is applied to the green linoleum in a thickness of 5  $\mu\text{m}$  to 1000  $\mu\text{m}$ .

27. (canceled).

28. (previously presented): The method as claimed in Claim 4, wherein the recesses in the green linoleum have a depth in the range of 5% to 60%, based on the thickness of the green linoleum.

29. (withdrawn): Patterned linoleum sheeting obtainable by a method as claimed in Claim 2.

30. (withdrawn): Patterned linoleum sheeting obtainable by a method as claimed in Claim 11.